


# VESSEL FILLING SYSTEMS



**LOGOS**  
KİMYA TEKNOLOJİLERİ

# Hisar Vessel Filling Equipment



## SPECIFICATIONS

- Automatic Gas Filling Systems
- In compliance with MIL-STD-810H Standards
- Capable of operating in field conditions
- Pre-charging option
- Automatic filling and cleaning capability
- Filling and cleaning reporting

## TECHNICAL SPECIFICATIONS

- Input Pressure (ET Pressure): 30-230 bar
- Operating Pressure: Maximum 700 +/-10 bar
- Maximum Operating Pressure: 750 +/-10 bar
- Burst Pressure: Maximum 1000 bar +/-10 bar
- Pressure Range: 50 +/-10 - 700 +/-10 bar
- Power: 220 +/-10% VAC, 50 +/-1 Hz, 10 +/-4 A
- Operating Temperature: -20/+60 °C



# Portable Vessel Filling Equipment




## SPECIFICATIONS

- Automatic Gas Filling Systems
- In compliance with MIL-STD-810H Standards
- Capable of operating in field conditions
- Pre-charging option
- Automatic filling and cleaning capability
- Filling and cleaning reporting

## TECHNICAL SPECIFICATIONS

- Input Pressure (ET Pressure): 20-50 bar
- Operating Pressure: 80 +/-10 bar
- Maximum Operating Pressure: 850+/-10 bar
- Burst Pressure: Maximum 1000 bar+/-10 bar
- Output Pressure: 500+/-30 bar
- Power: 380+/-%10\*VAC, 50+/-1 Hz, 20+/-4 A
- Operating Temperature: -20/+60 °C





## Contact us

---



### Address

Logos Kimya Teknolojileri Sanayi ve Ticaret Ltd. Şti.  
OSTİM Mah. 1151. Sk 1/64 Gül 86 Sitesi Yenimahalle ANKARA

### Contact

Phone: +0(312) 385 20 82  
Email: [info@logoskimya.com](mailto:info@logoskimya.com)  
Web: [logoskimya.com](http://logoskimya.com)

